

MAKE LIFE A NEW WAY

Focus on the development and manufacture of electric wheelchairs.



NINGBO BAICHEN MEDICAL DEVICES CO., LTD

WWW.BAICHENMEDICAL.COM

E-mail: Service09@baichen.ltd

Room 2101, 666 Taikang Middle Road Ningbo Zhejiang China

PRODUCT MANUAL

ELECTRIC WHEELCHAIRS

RESEARCH AND DEVELOPMENT

PERSONALIZED CUSTOMIZATION

CHINA · NINGBO · BAICHEN

Make Life a New Way

ABOUT US

Ningbo Baichen Medical Devices Co., Ltd. was founded in 1998 in Zhejiang, China. We independently develop and produce electric wheelchairs and scooters. Our company has a factory building of 25000 square meters, with a monthly output of up to 15000 vehicles.

Our company's products have obtained FDA certifications, and EU CE certifications. Our company has a number of domestic and foreign patents and has passed ISO9001, ISO13485, and other quality management system certifications.

Our products are sold nationwide in major cities and towns in China and have dozens of well-known brands on e-commerce, which is one of the best-selling products of the same kind in China. International trade covers America, Europe, Southeast Asia, and many other countries and regions. We have cooperated with Pride, Costco, Vive Health, and other well-known international companies. We strive to become one of the benchmarks of Chinese medical device manufacturers.

COMPANY PROFILE



PRODUCT CATALOG

Carbon Fibre Electric Wheelchair

Aluminium Alloy Electric Wheelchair

Steel Electric Wheelchair

CERTIFICATES

Baichen is ISO13485/9001 certified and its products bear the certification marks of safety agencies such as **FDA(510K:K232121)**, UKCA, CE, FCC, UL, RoHS, TUV and ECM.





Carbon Fibre Electric Wheelchair
BC-EC8002

Ultralight
16.8kg



■ **Max load 160kg**

High strength carbon fibre material.



■ **High-performance Super Power**

LED controller + 500W brushless motor



■ **Convenient To Carry**

1 second fast folding.



■ **Fashionable Appearance**

Front and rear magnesium alloy wheels.

Main Parameter

● Frame Material Carbon Fiber Material	● Controller Upgrade LED Controller	● Front Wheel Magnesium alloy 7.5 inch(solid)	● Rear Wheel Magnesium alloy 8inch(solid)	● Packing Size 67*38*82cm
● Seat W45*L45*T5cm	● Size(Unfolded) 85*62*97cm	● Size(Folded) 62*39*72cm	● Speed 0-8km/h	● Battery 24V7.8Ah Lithium
● Motor High Performance 250W*2 Brushless		● Max Loading 160KG	● G.W.(With Package) 24KG	● N.W.(Without Battery) 16.8KG

Carbon Fibre Electric Wheelchair
BC-EC8003

Featherweight
12.5kg



■ **Convenient To Carry**
1 second fast folding.



■ **Convenient Charging**
Quick release dual lithium batteries.



■ **Fashionable Appearance**
Front and rear magnesium alloy wheels.



■ **High-performance Super Power**
LED controller + 500W brushless motor

Main Parameter

● Frame Material Carbon Fiber Material	● Controller Upgrade LED Controller	● Front Wheel Magnesium alloy 6.5 "solid tyre	● Rear Wheel Magnesium Alloy 11 "Solid Tyre	● Packing Size 84*79*31cm
● Seat W45*L45*T5cm	● Size(Unfolded) 99*53*87cm	● Size(Folded) 76*22*69cm	● Speed 0-8km/h	● Battery 24V7.8Ah Lithium
● Motor High Performance 250W*2 Brushless	● Max Loading 160KG	● G.W.(With Package) 19KG	● N.W.(Without Battery) 12.5KG	

BC-EC8003-Z

Carbon Fibre Electric Wheelchair

1 Second Fast Folding

Carbon Fibre Material

Featherweight
11.6kg



Max load 140kg



Brushless motor



Easy to carry

Main Parameter

- | | | | | |
|-----------------------------------------------------|-----------------------------------------------|------------------------------------------------------------|------------------------------------------------------------|-------------------------------------|
| • Frame Material
Carbon Fiber Material | • Controller
Upgrade LED Controller | • Front Wheel
Magnesium alloy
6.5 "solid tyre | • Rear Wheel
Magnesium alloy
10.5 "solid tyre | • Packing Size
76*32*76cm |
| • Seat
W45*L45*T5cm | • Size(Unfolded)
91*65*89cm | • Size(Folded)
62.5* 25.8*71cm | • Speed
0-8km/h | • Battery
24V10Ah Lithium |
| • Motor
High performance 150W*2 Brushless | • Max Loading
140KG | • G.W.(With Package)
16.8KG | • N.W.(Without Battery)
11.6KG | |

BC-EC8002-Z

Carbon Fibre Electric Wheelchair

1 Second Fast Folding

Carbon Fibre Material

Ultralight
14.5kg



Max load 140kg



Brushless motor



Easy to carry

Main Parameter

- | | | | | |
|-----------------------------------------------------|---------------------------------------------|---------------------------------------|------------------------------------------|-------------------------------------|
| • Frame Material
Carbon fiber material | • Controller
Import 360° Joystick | • Front Wheel
6inch(solid) | • Rear Wheel
8inch(solid) | • Packing Size
74*30*74cm |
| • Seat
W42*L42*T5cm | • Size(Unfolded)
97*57*90cm | • Size(Folded)
61.5*34*71cm | • Speed
0-8km/h | • Battery
24V10Ah Lithium |
| • Motor
High performance 200W*2 Brushless | • Max Loading
140KG | • G.W.(With Package)
21KG | • N.W.(Without Battery)
14.5KG | |

BC-EC8003-Y

Carbon Fibre Electric Wheelchair

1 Second Fast Folding

Carbon Fibre Material

400W Brushless Motor

Featherweight

12.8kg



Max load 150kg



Carbon fiber hub



Easy to carry

Main Parameter

- **Frame Material**
Carbon Fiber Material
- **Controller**
Upgrade LED Controller
- **Front Wheel**
8inch(solid)
- **Rear Wheel**
Carbon fiber
12inch(pneumatic)
- **Packing Size**
95*40*86cm
- **Seat**
W46*L37*T5cm
- **Size(Unfolded)**
97*62.5*87cm
- **Size(Folded)**
97*31*75cm
- **Speed**
0-8km/h
- **Battery**
24V 6Ah Lithium
- **Motor**
High performance 200W*2 Brushless
- **Max Loading**
150KG
- **G.W.(With Package)**
17.9KG
- **N.W.(Without Battery)**
12.8KG

BC-EC8002-H

Carbon Fibre Electric Wheelchair

1 Second Fast Folding

Carbon Fibre+Aluminium

Ultralight

14.5kg



Max load 140kg



Brushless motor



Easy to carry

Main Parameter

- **Frame Material**
Upgrade magnesium
aluminum alloy
- **Controller**
Import 360° Joystick
- **Front Wheel**
6"/TPE
- **Rear Wheel**
8"/PU
- **Packing Size**
61*34*79cm
- **Seat**
W45*L45*T7cm
- **Size(Unfolded)**
87*57*100cm
- **Size(Folded)**
85*32*57.5cm
- **Speed**
0-8km/h
- **Battery**
24V 10AH/6AH Lithium
- **Motor**
150W*2 Brushless Motor
- **Max Loading**
140KG
- **G.W.(With Package)**
20.5KG
- **N.W.(Without Battery)**
14.5KG

BC-EC8003-X

Carbon Fibre Electric Wheelchair

1 Second Fast Folding

Carbon Fibre Material

300W Brushless Motor

Featherweight

11.9kg



New upgraded LED controller



Latest colour printing technology



Easy to carry

Main Parameter

- | | | | | |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> • Frame Material
Carbon Fiber Material | <ul style="list-style-type: none"> • Controller
Upgrade LED Controller | <ul style="list-style-type: none"> • Front Wheel
Magnesium alloy
7inch(solid) | <ul style="list-style-type: none"> • Rear Wheel
Magnesium alloy
12inch(solid) | <ul style="list-style-type: none"> • Packing Size
76*32*74cm |
| <ul style="list-style-type: none"> • Seat
W45*L45*T5cm | <ul style="list-style-type: none"> • Size(Unfolded)
91*56*83cm | <ul style="list-style-type: none"> • Size(Folded)
73*29*70cm | <ul style="list-style-type: none"> • Speed
0-8km/h | <ul style="list-style-type: none"> • Battery
24V 10Ah Lithium |
| <ul style="list-style-type: none"> • Motor
High performance150W*2 Brushless | | <ul style="list-style-type: none"> • Max Loading
140KG | <ul style="list-style-type: none"> • G.W.(With Package)
19KG | <ul style="list-style-type: none"> • N.W.(Without Battery)
11.9KG |



Aluminium Alloy Electric Wheelchair
BC-EA9000-UP



- **Max load 160kg**
Upgraded thickened aluminium material.



- **Easy To Carry**
1 second quick folding



- **Ultra High Performance**
700W Upgraded Aluminium Motor



- **Comfortable And Smooth**
8 shock absorbers

Main Parameter

<ul style="list-style-type: none"> ● Frame Material Upgrade magnesium aluminum alloy 	<ul style="list-style-type: none"> ● Controller Import 360° Joystick 	<ul style="list-style-type: none"> ● Front Wheel 8inch(solid) 	<ul style="list-style-type: none"> ● Rear Wheel 12inch(pneumatic) 	<ul style="list-style-type: none"> ● Packing Size 68*46*84cm
<ul style="list-style-type: none"> ● Seat W46*L45*T7cm 	<ul style="list-style-type: none"> ● Size(Unfolded) 99*63*96cm 	<ul style="list-style-type: none"> ● Size(Folded) 64*39*75cm 	<ul style="list-style-type: none"> ● Speed 0-8km/h 	<ul style="list-style-type: none"> ● Battery 24V 13Ah Lithium
<ul style="list-style-type: none"> ● Motor Upgrade Aluminum Alloy 	<ul style="list-style-type: none"> ● Size(Folded) 350W*2 Brush 	<ul style="list-style-type: none"> ● Max Loading 160KG 	<ul style="list-style-type: none"> ● G.W.(With Package) 36KG 	<ul style="list-style-type: none"> ● N.W.(Without Battery) 24.5KG



Aluminium Alloy Electric Wheelchair
BC-EA9000



■ **Max Load 150kg**

Upgraded thickened aluminium material



■ **Easy To Carry**

1 second quick folding



■ **Ultra High Performance**

600W Upgraded Aluminium Motor



■ **Comfortable And Smooth**

8 shock absorbers

Main Parameter

<ul style="list-style-type: none"> ● Frame Material Upgrade magnesium aluminum alloy 	<ul style="list-style-type: none"> ● Controller Import 360° Joystick 	<ul style="list-style-type: none"> ● Front Wheel 8inch(solid) 	<ul style="list-style-type: none"> ● Rear Wheel 12inch(pneumatic) 	<ul style="list-style-type: none"> ● Packing Size 68*48*82cm
<ul style="list-style-type: none"> ● Seat W46*L45*T7cm 	<ul style="list-style-type: none"> ● Size(Unfolded) 99*63*96cm 	<ul style="list-style-type: none"> ● Size(Folded) 64*39*75cm 	<ul style="list-style-type: none"> ● Speed 0-8km/h 	<ul style="list-style-type: none"> ● Battery 24V 13Ah Lithium
<ul style="list-style-type: none"> ● Motor Upgrade aluminum alloy 300W*2 Brush 	<ul style="list-style-type: none"> ● Max Loading 150KG 	<ul style="list-style-type: none"> ● G.W.(With Package) 35KG 	<ul style="list-style-type: none"> ● N.W.(Without Battery) 24KG 	

BC-EA9000MR

Aluminium Alloy Electric Wheelchair

Manual Reclining

Ultra High Performance

Comfortable And Smooth



BC-EA9000F

Aluminium Alloy Electric Wheelchair

Fully Automatic Folding

Ultra High Performance

Max Load 150kg



600W Aluminium Motor



Reclinable



1 second folding

Main Parameter

- | | | | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> Frame Material
Upgrade magnesium aluminum alloy Seat
W46*L46*T7cm Motor
Upgrade aluminum alloy 300W*2 Brush | <ul style="list-style-type: none"> Controller
Import 360° Joystick Size(Unfolded)
110*63*120cm | <ul style="list-style-type: none"> Front Wheel
8inch(solid) Size(Folded)
63*37*75cm Max Loading
150KG | <ul style="list-style-type: none"> Rear Wheel
12inch(pneumatic) Speed
0-8km/h G.W.(With Package)
39.5KG | <ul style="list-style-type: none"> Packing Size
69*53*84cm Battery
24V 13Ah Lithium N.W.(Without Battery)
24.5KG |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|



Autofolding



600W Aluminium Motor



8 shock absorbers

Main Parameter

- | | | | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> Frame Material
Upgrade magnesium aluminum alloy Seat
W46*L46*T7cm Motor
Upgrade aluminum alloy 300W*2 Brush | <ul style="list-style-type: none"> Controller
Import 360° Joystick Size(Unfolded)
110*63*96cm | <ul style="list-style-type: none"> Front Wheel
8inch(solid) Size(Folded)
63*37*75cm Max Loading
150KG | <ul style="list-style-type: none"> Rear Wheel
12inch(pneumatic) Speed
0-8km/h G.W.(With Package)
36KG | <ul style="list-style-type: none"> Packing Size
68*54*85cm Battery
24V 13Ah Lithium N.W.(Without Battery)
26.5KG |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

BC-EA9000R

Aluminium Alloy Electric Wheelchair

Motorised Reclinable

Ultra High Performance

Comfortable And Smooth



BC-EA9000FMR

Aluminium Alloy Electric Wheelchair

Automatic Folding

Manual Reclining

Ultra High Performance

Max Load 150kg



600W Aluminium Motor

Reclinable

1 second folding

Main Parameter

- | | | | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> Frame Material
Upgrade magnesium aluminum alloy Seat
W46*L46*T7cm Motor
Upgrade aluminum alloy 300W*2 Brush | <ul style="list-style-type: none"> Controller
Import 360° Joystick Size(Unfolded)
110*63*120cm | <ul style="list-style-type: none"> Front Wheel
8inch(solid) Size(Folded)
63*37*75cm Max Loading
150KG | <ul style="list-style-type: none"> Rear Wheel
12inch(pneumatic) Speed
0-8km/h G.W.(With Package)
39.5KG | <ul style="list-style-type: none"> Packing Size
70*53*87cm Battery
24V 13Ah Lithium N.W.(Without Battery)
28KG |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|



600W Aluminium Motor

Autofolding

Manual Reclining

Main Parameter

- | | | | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> Frame Material
Upgrade magnesium aluminum alloy Seat
W46*L46*T7cm Motor
Upgrade aluminum alloy 300W*2 Brush | <ul style="list-style-type: none"> Controller
Import 360° Joystick Size(Unfolded)
110*63*120cm | <ul style="list-style-type: none"> Front Wheel
8inch(solid) Size(Folded)
63*37*75cm Max Loading
150KG | <ul style="list-style-type: none"> Rear Wheel
12inch(pneumatic) Speed
0-8km/h G.W.(With Package)
40KG | <ul style="list-style-type: none"> Packing Size
70*53*87cm Battery
24V 13Ah Lithium N.W.(Without Battery)
29.5KG |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

BC-EA7001

Aluminium Alloy Electric Wheelchair

Ultra High Performance

Thickened aluminium

Easy To Carry



Max load 140kg



Front and rear honeycomb wheels



600W Aluminium Motor

Main Parameter

- | | | | | |
|-------------------------------------------------------|---------------------------------------------|--------------------------------------|------------------------------------------|--------------------------------------|
| • Frame Material
Aluminium Alloy | • Controller
Import 360° Joystick | • Front Wheel
8inch(solid) | • Rear Wheel
12inch(pneumatic) | • Packing Size
67*46*81cm |
| • Seat
W45*L45*T7cm | • Size(Unfolded)
100*63*96cm | • Size(Folded)
60*37*75cm | • Speed
0-8km/h | • Battery
24V 13Ah Lithium |
| • Motor
Upgrade aluminum alloy 300W*2 Brush | • Max Loading
140KG | • G.W.(With Package)
35KG | • N.W.(Without Battery)
23KG | |

BC-EA7001(Remote Control)



Add remote control



Aluminum alloy motor



Folding view

BC-EA7001R(Fully Automatic Reclining)



180° electric lie



Adjustable head restraints



Folding view

BC-EA7001F(Fully Automatic Folding)



Powerfold and open



Easy control



Folding view

Customisation

Aluminium Alloy Electric Wheelchair

■ Customised Wheels



*Can choose different wheel hubs and paint combinations.

*Optional remote control is available for any model.

■ Customised Colors



*Color matching can be customized according to customer needs.

■ Customised Seat Cushion



*Different seat cushion can choose.



Aluminium Alloy Electric Wheelchair
BC-EA5516B

Ultra-light
16.5kg



- **Max Load 130kg**
Upgraded thickened aluminium material



- **Easy To Carry**
1 second quick folding



- **Ultra High Performance**
High performance brushless motor



- **Durable**
Front and rear magnesium alloy wheels

Main Parameter

<ul style="list-style-type: none"> ● Frame Material Upgrade magnesium aluminum alloy 	<ul style="list-style-type: none"> ● Controller Import 360° Joystick 	<ul style="list-style-type: none"> ● Front Wheel Magnesium alloy 6.5 inch(solid) 	<ul style="list-style-type: none"> ● Rear Wheel Magnesium alloy 11 inch(solid) 	<ul style="list-style-type: none"> ● Packing Size 63.5*37*78cm
<ul style="list-style-type: none"> ● Seat W45*L45*T5cm 	<ul style="list-style-type: none"> ● Size(Unfolded) 89*56*91cm 	<ul style="list-style-type: none"> ● Size(Folded) 56*36*69cm 	<ul style="list-style-type: none"> ● Speed 0-8km/h 	<ul style="list-style-type: none"> ● Battery 24V 7.8Ah Lithium
<ul style="list-style-type: none"> ● Motor 200W*2 Brushless 		<ul style="list-style-type: none"> ● Max Loading 130KG 	<ul style="list-style-type: none"> ● G.W.(With Package) 24.5KG 	<ul style="list-style-type: none"> ● N.W.(Without Battery) 16.5KG

BC-EA5516C

Aluminium Alloy Electric Wheelchair

Easy To Carry

Max Load 130kg

Ultra-light
18.5kg



BC-EA8001B

Aluminium Alloy Electric Wheelchair

Easy To Carry

Max Load 130kg

Ultra-light
17.2kg



600W aluminium motor



Quick detachable lithium battery



1 second folding

Main Parameter

- | | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> • Frame Material
Upgrade magnesium aluminum alloy • Seat
W45*L45*T5cm • Motor
300W*2 Brush | <ul style="list-style-type: none"> • Controller
Import 360° Joystick • Size(Unfolded)
94*58*93cm | <ul style="list-style-type: none"> • Front Wheel
6.5 inch(solid) • Size(Folded)
89*56*91cm • Max Loading
130KG | <ul style="list-style-type: none"> • Rear Wheel
11 inch(pneumatic) • Speed
0-8km/h • G.W.(With Package)
27KG | <ul style="list-style-type: none"> • Packing Size
64*38*82cm • Battery
24V 7.8Ah Lithium • N.W.(Without Battery)
18.5KG |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|



500W Brushless motor



LED controller



1 second folding

Main Parameter

- | | | | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> • Frame Material
Upgrade magnesium aluminum alloy • Seat
W46*L46*T7cm • Motor
250W*2 Brushless | <ul style="list-style-type: none"> • Controller
Import 360° Joystick • Size(Unfolded)
87*56*100cm | <ul style="list-style-type: none"> • Front Wheel
8inch(solid) • Size(Folded)
26*68*74cm • Max Loading
130KG | <ul style="list-style-type: none"> • Rear Wheel
11 inch(solid) • Speed
0-8km/h • G.W.(With Package)
26KG | <ul style="list-style-type: none"> • Packing Size
77*34*78cm • Battery
24V 7.8Ah Lithium • N.W.(Without Battery)
17.2KG |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

BC-EALD3

Aluminium Alloy Electric Wheelchair

Easy To Carry

AIRLINE APPROVED

Ultra-light
14.2kg



Max Load 120kg

Quick detachable battery

1 second folding

Main Parameter

- | | | | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> Frame Material
Upgrade magnesium aluminum alloy Seat
W45*L45*T5cm Motor
190W*2 Brushless | <ul style="list-style-type: none"> Controller
Import 360° Joystick Size(Unfolded)
92*60*93cm | <ul style="list-style-type: none"> Front Wheel
8inch (Honeycomb wheel) Size(Folded)
54*32*89cm Max Loading
120KG | <ul style="list-style-type: none"> Rear Wheel
12inch(solid) Speed
0-8km/h G.W.(With Package)
21KG | <ul style="list-style-type: none"> Packing Size
60*40*93cm Battery
24V 8.5Ah Lithium N.W.(Without Battery)
14.2KG |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

BC-EALD4

Aluminium Alloy Electric Wheelchair

Easy To Carry

AIRLINE APPROVED

Ultra-light
14.8kg



Max Load 120kg

Quick detachable battery

1 second folding

Main Parameter

- | | | | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> Frame Material
Upgrade magnesium aluminum alloy Seat
W44*L40*T5cm Motor
190W*2 Brushless | <ul style="list-style-type: none"> Controller
Import 360° Joystick Size(Unfolded)
103*57*91cm | <ul style="list-style-type: none"> Front Wheel
8inch (Honeycomb wheel) Size(Folded)
74*70*33cm Max Loading
120KG | <ul style="list-style-type: none"> Rear Wheel
12inch (Honeycomb wheel) Speed
0-8km/h G.W.(With Package)
21KG | <ul style="list-style-type: none"> Packing Size
70*37*74cm Battery
24V 8.5Ah Lithium N.W.(Without Battery)
14.8KG |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

BC-EA530X

Aluminium Alloy Electric Wheelchair

Easy To Carry

Dual Plug-in Battery

Ultra High Performance



Easy to install and charge

1 second folding

500W brushless Motor

Main Parameter

- **Frame Material**
Aluminium alloy
- **Controller**
Import 360° Joystick
- **Front Wheel**
8inch(solid)
- **Rear Wheel**
12inch(pneumatic)
- **Packing Size**
70*47*89cm
- **Seat**
W46*L46*T7cm
- **Size(Unfolded)**
97*63*94cm
- **Size(Folded)**
63*34*79cm
- **Speed**
0-8km/h
- **Battery**
24V 7.5Ah*2 Lithium
- **Motor**
250W*2 Brushless
- **Max Loading**
150KG
- **G.W.(With Package)**
36.5KG
- **N.W.(Without Battery)**
21.5KG

BC-EA8000-TB

Aluminium Alloy Electric Wheelchair

Easy To Carry

Dual Plug-in Battery

Ultra High Performance



Easy to install and charge

1 second folding

500W powerful Motor

Main Parameter

- **Frame Material**
Aluminium alloy
- **Controller**
Import 360° Joystick
- **Front Wheel**
8inch(solid)
- **Rear Wheel**
12inch(pneumatic)
- **Packing Size**
67*45*84cm
- **Seat**
W43*L44*T5cm
- **Size(Unfolded)**
110*62*95cm
- **Size(Folded)**
65*43*79cm
- **Speed**
0-8km/h
- **Battery**
24V 6Ah*2 Lithium
- **Motor**
250W*2 Brush
- **Max Loading**
150KG
- **G.W.(With Package)**
30.8KG
- **N.W.(Without Battery)**
23.2KG

BC-EA8000-XY

Aluminium Alloy Electric Wheelchair

Ultra High Performance

Thickened aluminium

Easy To Carry



BC-EA8000-XY2

Aluminium Alloy Electric Wheelchair

Fully Automatic Folding

Ultra High Performance

Thickened aluminium



Max Load 120kg

Quick detachable battery

1 second folding

Main Parameter

- Frame Material**
Upgrade magnesium aluminum alloy
- Controller**
Import 360° Joystick
- Front Wheel**
8inch
- Rear Wheel**
12inch (solid)
- Packing Size**
83*45*76.5cm
- Seat**
W41*L42*5cm
- Size(Unfolded)**
97*72*88cm
- Size(Folded)**
93*72*47cm
- Speed**
0-6km/h
- Battery**
24V 10AH Lithium
- Motor**
250W*2 Brush
- Max Loading**
120KG
- G.W.(With Package)**
32KG
- N.W.(Without Battery)**
25KG



Max Load 120kg

Quick detachable battery

1 second folding

Main Parameter

- Frame Material**
Upgrade magnesium aluminum alloy
- Controller**
Import 360° Joystick
- Front Wheel**
8inch
- Rear Wheel**
12inch(solid)
- Packing Size**
83*45*76.5cm
- Seat**
W41*L42*5cm
- Size(Unfolded)**
97*72*88cm
- Size(Folded)**
87*72*47cm
- Speed**
0-6km/h
- Battery**
24V 10AH Lithium
- Motor**
250W*2 Brush
- Max Loading**
120KG
- G.W.(With Package)**
33KG
- N.W.(Without Battery)**
26KG

BC-EA8006

Aluminium Alloy Electric Wheelchair

New Design

Ultra High Performance

Easy To Carry

Ultra-light
17.5kg



Max Load 120kg



Quick detachable battery



1 second folding

Main Parameter

- **Frame Material**
Aluminium Alloy
- **Controller**
Upgrade LED controller
- **Front Wheel**
7inch(solid)
- **Rear Wheel**
10inch(solid)
- **Packing Size**
65*38.5*70cm
- **Seat**
W40*L41*T1.5cm
- **Size(Unfolded)**
86.5*60.5*82.5cm
- **Size(Folded)**
61*34.5*66.5cm
- **Speed**
0-8km/h
- **Battery**
24V 6/12/24Ah Lithium
- **Motor**
150W*2 Brushless
- **Max Loading**
120KG
- **G.W.(With Package)**
24.5KG
- **N.W.(Without Battery)**
17.5KG

BC-EM8003-Y

Magnesium Alloy Electric Wheelchair

Easy To Carry

Ultra High Performance

Magnesium Alloy

Ultra-light
14.5kg



Max Load 135kg



Quick detachable battery



1 second folding

Main Parameter

- **Frame Material**
Magnesium Alloy
- **Controller**
Upgrade LED controller
- **Front Wheel**
8inch(solid)
- **Rear Wheel**
12inch(pneumatic)
- **Packing Size**
78*38*79cm
- **Seat**
W46*L37*T5cm
- **Size(Unfolded)**
61*90*104cm
- **Size(Folded)**
73*32*71cm
- **Speed**
0-8km/h
- **Battery**
24V 6Ah Lithium
- **Motor**
200W*2 Brushless
- **Max Loading**
135KG
- **G.W.(With Package)**
21.5KG
- **N.W.(Without Battery)**
14.5KG

BC-EA8000-XS

Aluminium Alloy Electric Wheelchair

Easy To Carry

Ultra High Performance

Ultra-light
16.3kg



Max Load 140kg

Quick detachable battery

1 second folding

Main Parameter

- **Frame Material**
Aluminium Alloy
- **Controller**
Split controller(brush)
- **Front Wheel**
7inch
- **Rear Wheel**
12inch
- **Packing Size**
61*42*90cm
- **Seat**
W42*L44*T6cm
- **Size(Unfolded)**
99*57*98cm
- **Size(Folded)**
56*38*87cm
- **Speed**
6km/h
- **Battery**
6AH Lithium
- **Motor**
180W*2(brush)
- **Max Loading**
140KG
- **G.W.(With Package)**
23KG
- **N.W.(Without Battery)**
16.3KG

BC-EM8000-XW

Aluminium Alloy Electric Wheelchair

Easy To Carry

Ultra High Performance

Ultra-light
19.8kg



Max Load 140kg

Quick detachable battery

1 second folding

Main Parameter

- **Frame Material**
Aluminium Alloy
- **Controller**
Integrated Controller (brush)
- **Front Wheel**
7inch
- **Rear Wheel**
12inch
- **Packing Size**
61*42*90cm
- **Seat**
W42*L44*T6cm
- **Size(Unfolded)**
99*57*98cm
- **Size(Folded)**
56*38*87cm
- **Speed**
6km/h
- **Battery**
10AH Lithium
- **Motor**
180W*2(brush)
- **Max Loading**
140KG
- **G.W.(With Package)**
27KG
- **N.W.(Without Battery)**
19.8KG

BC-EA5516-X

Aluminium Alloy Electric Wheelchair

Easy To Carry

Ultra High Performance

Ultra-light
14.9kg 



Carbon fiber water transfer printing



4 Shock absorbing honeycomb tyres



1 second folding

Main Parameter

- | | | | | |
|--------------------------------------------|---------------------------------------------|----------------------------------------------------|---------------------------------------------------|------------------------------------------|
| • Frame Material
Aluminium Alloy | • Controller
Import 360° Joystick | • Front Wheel
7inch
(Honeycomb wheel) | • Rear Wheel
9inch
(Honeycomb wheel) | • Packing Size
58*38*82cm |
| • Seat
W40*L40*T3cm | • Size(Unfolded)
97*52*91cm | • Size(Folded)
78*52*33cm | • Speed
0-8km/h | • Battery
24V 6.6Ah Lithium |
| • Motor
Import 190W*2 Brush | | • Max Loading
140KG | • G.W.(With Package)
19.5KG | • N.W.(Without Battery)
14.9KG |



Steel Electric Wheelchair
BC-ES6001S



■ **Max Load 140kg**
High strength carbon steel



■ **Powerful**
500W high performance motor



■ **Sturdy And Stable**
Professional structural design



■ **Easy To Carry**
Fast folding

Main Parameter

<ul style="list-style-type: none"> ● Frame Material High strength carbon steel 	<ul style="list-style-type: none"> ● Controller Import 360° Joystick 	<ul style="list-style-type: none"> ● Front Wheel 7inch(solid) 	<ul style="list-style-type: none"> ● Rear Wheel 12inch(solid) 	<ul style="list-style-type: none"> ● Packing Size 70*42*77cm
<ul style="list-style-type: none"> ● Seat W46*L46*T7cm 	<ul style="list-style-type: none"> ● Size(Unfolded) 94*60*89cm 	<ul style="list-style-type: none"> ● Size(Folded) 70*38*69cm 	<ul style="list-style-type: none"> ● Speed 0-8km/h 	<ul style="list-style-type: none"> ● Battery 24V 12Ah Lead-acid
<ul style="list-style-type: none"> ● Motor 250W*2 Brush 	<ul style="list-style-type: none"> ● Max Loading 140KG 	<ul style="list-style-type: none"> ● G.W.(With Package) 35KG 	<ul style="list-style-type: none"> ● N.W.(Without Battery) 24KG 	



Steel Electric Wheelchair
BC-ES6001

HOT SALE



■ **Max Load 150kg**
High strength carbon steel



■ **Powerful**
500W super motor



■ **Sturdy And Durable**
Professional structural design



■ **Easy To Carry**
Fast folding

Main Parameter

<ul style="list-style-type: none"> ● Frame Material High strength carbon steel 	<ul style="list-style-type: none"> ● Controller 360° Joystick 	<ul style="list-style-type: none"> ● Front Wheel 10inch(solid) 	<ul style="list-style-type: none"> ● Rear Wheel 16inch(pneumatic) 	<ul style="list-style-type: none"> ● Packing Size 85*45*77cm
<ul style="list-style-type: none"> ● Seat W44*L50*T2cm 	<ul style="list-style-type: none"> ● Size(Unfolded) 115*65*95cm 	<ul style="list-style-type: none"> ● Size(Folded) 82*40*71cm 	<ul style="list-style-type: none"> ● Speed 0-8km/h 	<ul style="list-style-type: none"> ● Battery 24V 12Ah Lead-acid
<ul style="list-style-type: none"> ● Motor 250W*2 Brush 	<ul style="list-style-type: none"> ● Max Loading 150KG 	<ul style="list-style-type: none"> ● G.W.(With Package) 49.5KG 	<ul style="list-style-type: none"> ● N.W.(Without Battery) 36KG 	



Steel Electric Wheelchair
BC-ES6003

HOT SALE



- **Max Load 150kg**
High strength carbon steel



- **Easy to Carry**
Fast folding



- **Sturdy And Durable**
Upgraded high-strength carbon steel material



- **Powerful**
500W super motor

Main Parameter

<ul style="list-style-type: none"> ● Frame Material High strength carbon steel 	<ul style="list-style-type: none"> ● Controller 360° Joystick 	<ul style="list-style-type: none"> ● Front Wheel 10inch(solid) 	<ul style="list-style-type: none"> ● Rear Wheel 16inch(pneumatic) 	<ul style="list-style-type: none"> ● Packing Size 85*45*79cm
<ul style="list-style-type: none"> ● Seat W44*L50*T4cm 	<ul style="list-style-type: none"> ● Size(Unfolded) 122*65*128cm 	<ul style="list-style-type: none"> ● Size(Folded) 82*40*71cm 	<ul style="list-style-type: none"> ● Speed 0-8km/h 	<ul style="list-style-type: none"> ● Battery 24V 12Ah Lead-acid
<ul style="list-style-type: none"> ● Motor 250W*2 Brush 	<ul style="list-style-type: none"> ● Max Loading 150KG 	<ul style="list-style-type: none"> ● G.W.(With Package) 53KG 	<ul style="list-style-type: none"> ● N.W.(Without Battery) 39KG 	

BC-ES6001C

Steel Electric Wheelchair

Easy To Carry

Powerful

Sturdy And Durable



High-strength carbon steel material

Foldable

500W Super motor

Main Parameter

- **Frame Material**
High strength carbon steel
- **Controller**
Import 360° Joystick
- **Front Wheel**
8inch(solid)
- **Rear Wheel**
10inch(solid)
- **Packing Size**
74*39.5*77cm
- **Seat**
W43*L44*T3cm
- **Size(Unfolded)**
104*87*60cm
- **Size(Folded)**
70*38*69cm
- **Speed**
0-8km/h
- **Battery**
24V 12Ah Lead-acid
- **Motor**
250W*2 Brush
- **Max Loading**
120KG
- **G.W.(With Package)**
33KG
- **N.W.(Without Battery)**
21KG

BC-ES6001A

Steel Electric Wheelchair

Easy To Carry

Powerful

Sturdy And Durable



High-strength carbon steel material

Foldable

500W Super motor

Main Parameter

- **Frame Material**
High strength carbon steel
- **Controller**
360° Joystick
- **Front Wheel**
10inch(solid)
- **Rear Wheel**
16inch(pneumatic)
- **Packing Size**
85*43*76cm
- **Seat**
W44*L50*T2cm
- **Size(Unfolded)**
115*65*95cm
- **Size(Folded)**
82*40*71cm
- **Speed**
0-8km/h
- **Battery**
24V 12Ah Lead-acid
- **Motor**
250W*2 Brush
- **Max Loading**
150KG
- **G.W.(With Package)**
50KG
- **N.W.(Without Battery)**
38KG

BC-ES600102

Steel Electric Wheelchair

Classic Hot Sale

Easy To Carry

Sturdy And Durable



Aluminium alloy rear wheel



Fast folding



500W super motor

Main Parameter

- | | | | | |
|-------------------------------------------------------|----------------------------------------|---------------------------------------|------------------------------------------|----------------------------------------|
| • Frame Material
High strength carbon steel | • Controller
360° Joystick | • Front Wheel
10inch(solid) | • Rear Wheel
16inch(pneumatic) | • Packing Size
85*43*76cm |
| • Seat
W44*L50*T4cm | • Size(Unfolded)
115*65*95cm | • Size(Folded)
82*40*71cm | • Speed
0-8km/h | • Battery
24V 12Ah Lead-acid |
| • Motor
250W*2 Brush | • Max Loading
150KG | • G.W.(With Package)
50KG | • N.W.(Without Battery)
38KG | |

BC-ES580

Steel Electric Wheelchair

Strong Obstacle-crossing ability

Easy To Carry

Sturdy And Durable



Fast folding



Front-wheel drive



500W super motor

Main Parameter

- | | | | | |
|-------------------------------------------------------|----------------------------------------|-------------------------------------------|----------------------------------------|----------------------------------------|
| • Frame Material
High strength carbon steel | • Controller
360° Joystick | • Front Wheel
16inch(pneumatic) | • Rear Wheel
10inch(solid) | • Packing Size
85*43*78cm |
| • Seat
W44*L50*T2cm | • Size(Unfolded)
115*65*95cm | • Size(Folded)
92*45*72cm | • Speed
0-8km/h | • Battery
24V 12Ah Lead-acid |
| • Motor
250W*2 Brush | • Max Loading
150KG | • G.W.(With Package)
50KG | • N.W.(Without Battery)
35KG | |

BC-ES680M

Steel Electric Wheelchair

High-strength Carbon Steel

Easy To Carry

Sturdy And Durable



Full electric adjustment



Fast folding



500W super motor

Main Parameter

- **Frame Material**
High strength carbon steel
- **Controller**
360° Joystick
- **Front Wheel**
10inch(solid)
- **Rear Wheel**
16inch(pneumatic)
- **Packing Size**
87*47*80cm
- **Seat**
W44*L50*T4cm
- **Size(Unfolded)**
122*65*128cm
- **Size(Folded)**
82*40*71cm
- **Speed**
0-8km/h
- **Battery**
24V 12Ah Lead-acid
- **Motor**
250W*2 Brush
- **Max Loading**
150KG
- **G.W.(With Package)**
55KG
- **N.W.(Without Battery)**
40KG

BC-ES6003A

Steel Electric Wheelchair

Classic Large Wheels

Easy To Carry

Sturdy And Durable



Manual Reclining



Fast folding



500W super motor

Main Parameter

- **Frame Material**
High strength carbon steel
- **Controller**
360° Joystick
- **Front Wheel**
10inch(solid)
- **Rear Wheel**
16inch(pneumatic)
- **Packing Size**
87*48*80cm
- **Seat**
W44*L50*T4cm
- **Size(Unfolded)**
122*65*128cm
- **Size(Folded)**
82*40*71cm
- **Speed**
0-8km/h
- **Battery**
24V 12Ah Lead-acid
- **Motor**
250W*2 Brush
- **Max Loading**
150KG
- **G.W.(With Package)**
53KG
- **N.W.(Without Battery)**
39KG

BC-ES660Q

Steel Electric Wheelchair

High-strength Carbon Steel

Easy To Carry

Sturdy And Durable



Reclining



Fast folding



500W super motor

Main Parameter

- **Frame Material**
High strength carbon steel
- **Controller**
360° Joystick
- **Front Wheel**
10inch(solid)
- **Rear Wheel**
22inch(pneumatic)
- **Packing Size**
87*46*80cm
- **Seat**
W44*L50*T2cm
- **Size(Unfolded)**
122*65*128cm
- **Size(Folded)**
84*40*70cm
- **Speed**
0-8km/h
- **Battery**
24V 12Ah Lead-acid
- **Motor**
250W*2 Brush
- **Max Loading**
150KG
- **G.W.(With Package)**
53KG
- **N.W.(Without Battery)**
39KG

BC-ES6011

Steel Electric Wheelchair

Classic Hot Sale

Easy To Carry

Sturdy And Durable



High strength carbon steel



Fast folding



500W super motor

Main Parameter

- **Frame Material**
High strength carbon steel
- **Controller**
Import 360° Joystick
- **Front Wheel**
10inch(solid)
- **Rear Wheel**
16inch(pneumatic)
- **Packing Size**
78*46*76CM
- **Seat**
W44*L47*T2cm
- **Size(Unfolded)**
115*65*92cm
- **Size(Folded)**
82*38*69cm
- **Speed**
0-8km/h
- **Battery**
24V 12Ah Lead-acid
- **Motor**
250W*2 Brush
- **Max Loading**
130KG
- **G.W.(With Package)**
37.5KG
- **N.W.(Without Battery)**
31KG

BC-ES660(24inch)

Steel Electric Wheelchair

High-strength Carbon Steel

Easy To Carry

Sturdy And Durable



BC-ES660(22inch)

Steel Electric Wheelchair

Classic Large Wheels

Easy To Carry

Sturdy And Durable



Strong barrier-crossing ability

Fast folding

500W super motor

Main Parameter

- **Frame Material**
High strength carbon steel
- **Controller**
360° Joystick
- **Front Wheel**
10inch(solid)
- **Rear Wheel**
24inch(pneumatic)
- **Packing Size**
85*53*78cm
- **Seat**
W44*L50*T4cm
- **Size(Unfolded)**
120*67*100cm
- **Size(Folded)**
84*50*75cm
- **Speed**
0-8km/h
- **Battery**
24V 12Ah Lead-acid
- **Motor**
250W*2 Brush
- **Max Loading**
150KG
- **G.W.(With Package)**
50KG
- **N.W.(Without Battery)**
37KG



High-strength carbon steel material

Fast folding

500W super motor

Main Parameter

- **Frame Material**
High strength carbon steel
- **Controller**
360° Joystick
- **Front Wheel**
10inch(solid)
- **Rear Wheel**
22inch(pneumatic)
- **Packing Size**
85*53*78cm
- **Seat**
W44*L50*T2cm
- **Size(Unfolded)**
115*65*95cm
- **Size(Folded)**
84*40*70cm
- **Speed**
0-8km/h
- **Battery**
24V 12Ah Lead-acid
- **Motor**
250W*2 Brush
- **Max Loading**
150KG
- **G.W.(With Package)**
49KG
- **N.W.(Without Battery)**
36KG

BC-ES6002/600202/600203

Steel Electric Wheelchair

Easy To Carry

Powerful

Sturdy And Durable



6002

Main Parameter

- | | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> • Frame Material
High strength carbon steel • Seat
W44*L50*T4cm • Motor
250W*2 Brush | <ul style="list-style-type: none"> • Controller
360° Joystick • Size(Unfolded)
109*68*93cm • Max Loading
130KG | <ul style="list-style-type: none"> • Front Wheel
10inch(solid) • Size(Folded)
82*38*73.5cm • G.W.(With Package)
47KG | <ul style="list-style-type: none"> • Rear Wheel
16inch(pneumatic) • Speed
0-8km/h • N.W.(Without Battery)
41KG | <ul style="list-style-type: none"> • Packing Size
86*41*81cm • Battery
24V 12Ah Lead-acid |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|

600202

Main Parameter

- | | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> • Frame Material
High strength carbon steel • Seat
W44*L48*T4cm • Motor
250W*2 Brush | <ul style="list-style-type: none"> • Controller
360° Joystick • Size(Unfolded)
102*68*93cm • Max Loading
130KG | <ul style="list-style-type: none"> • Front Wheel
16inch(pneumatic) • Size(Folded)
75*38*73.5cm • G.W.(With Package)
46KG | <ul style="list-style-type: none"> • Rear Wheel
8inch(solid) • Speed
0-8km/h • N.W.(Without Battery)
40.5KG | <ul style="list-style-type: none"> • Packing Size
86*41*81cm • Battery
24V 12Ah Lead-acid |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|

600203

Main Parameter

- | | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> • Frame Material
High strength carbon steel • Seat
W44*L48*T4cm • Motor
250W*2 Brush | <ul style="list-style-type: none"> • Controller
360° Joystick • Size(Unfolded)
117*68*93cm • Max Loading
130KG | <ul style="list-style-type: none"> • Front Wheel
10inch(solid) • Size(Folded)
94.5*39*73.5cm • G.W.(With Package)
46.2KG | <ul style="list-style-type: none"> • Rear Wheel
24inch(pneumatic) • Speed
0-8km/h • N.W.(Without Battery)
41.2KG | <ul style="list-style-type: none"> • Packing Size
92*41*81cm • Battery
24V 12Ah Lead-acid |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|

Fast folding

Easy To Carry



500W super motor

High-performance Super Power



Max load 150kg

High-strength carbon steel material



BC-ES6001-X1

Steel Electric Wheelchair

Easy To Carry

Powerful

Sturdy And Durable



High-strength carbon steel material

Foldable

500W super motor

Main Parameter

- | | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> • Frame Material
High strength carbon steel • Seat
W43*L44*T3cm • Motor
250W*2 Brush | <ul style="list-style-type: none"> • Controller
360° Joystick • Size(Unfolded)
114*66*91cm • Max Loading
135KG | <ul style="list-style-type: none"> • Front Wheel
7inch(solid) • Size(Folded)
84*40*70cm • G.W.(With Package)
36KG | <ul style="list-style-type: none"> • Rear Wheel
12inch(pneumatic) • Speed
0-6km/h • N.W.(Without Battery)
24KG | <ul style="list-style-type: none"> • Packing Size
82*43*77cm • Battery
24V 12Ah Lead-acid |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|

BC-WA01/02

Multi-function Walker



Sitting and pushing

Height adjustable

Includes handbrake

Lightweight and foldable

Convenient for shopping

High stability

Main Parameter

- | | | | | |
|------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> • Model
WA01 • Unfolding Size
870*580*930mm | <ul style="list-style-type: none"> • Front Wheels
8inch(solid) • Folded Size
580*340*810mm | <ul style="list-style-type: none"> • Rear Wheels
8inch(solid) • Carton Size
600*350*820mm | <ul style="list-style-type: none"> • Load Bearing
≅100KG • Net Weight
9.45kg | <ul style="list-style-type: none"> • Turning Radius
650/800mm • Gross Weight
12kg |
| <ul style="list-style-type: none"> • Model
WA02 • Unfolding Size
680*570*930MM | <ul style="list-style-type: none"> • Front Wheels
8inch(solid) • Folded Size
570*440*790MM | <ul style="list-style-type: none"> • Rear Wheels
8inch(solid) • Carton Size
580*330*825MM | <ul style="list-style-type: none"> • Load Bearing
≅100KG • Net Weight
8.3kg | <ul style="list-style-type: none"> • Turning Radius
660mm • Gross Weight
10.7kg |